

RC bug fixing + NMU = Fun

how to have fun via NMU campaigns and RC bug fixing

Stefano Zacchiroli
zack@debian.org

Debian

August 1st, 2010
DebConf10, New York City

Outline

- 1 Experience report: RCBW
- 2 BoF — open discussion

Outline

1 Experience report: RCBW

2 BoF — open discussion

Sesse

original idea

..., gregoa, Rhonda, Tolimar, spang, cjwtatson, thorsten, pochu, marcot, rafael, Clint, ...

and everyone else that one way or another participated and/or contributed to spread the verb

Motivations

- ~~fix as many RC bugs as possible~~
- raise awareness and collaboration on RC fix, **motivate people**
- **dispel myths**: “*NMU are bad*”, “*NMU are not welcome*”

underlying assumption

[IMVHO]

the “**my own pet packages**” model does not scale

we can't keep on releasing that way for much longer
releasing is not *only* the release team job
we need a cultural shift

Some details

- 26 “weeks”, \approx 1 bug per day (on average), \approx 180 NMUs
- “easy” bugs, or at least not the hardest left
- maintainer feedback
 - ▶ no single complaint
 - ▶ (a couple of overrides)
 - ▶ lots of “thank you”
- \approx 10 people joined, to various degrees

dispel myths ✓

thesis

all this would have been pointless without communication

Communication

- a **web page**: <http://deb.li/rcbw>
 - ▶ motivations
 - ▶ used NMU work-flow / best practices
 - ▶ pointers to: HOWTOs, docs, primers, ...
- one blog post to **announce** the start of the initiative
- **one blog post / week**
 - ▶ bugs squashed, summary
 - ▶ pointers to other people joining the initiative
- μ blogging happy

Outline

1 Experience report: RCBW

2 BoF — open discussion

Working questions

- do you have NMU (campaign) experiences? good or bad ones?
- *advertising* NMU campaign: useful or just SPAM?
- is the goal of “more collaborative” RC-fix worthwhile?
- how can we motivate people to do more NMUs?
- (how) should we communicate about NMU campaigns?
- are *current* NMU rules (devref §5.11.1) good enough?
 - ▶ is LowThresholdNMU useful anymore?
- do we need an “NMU” equivalent for package removals?
- **provocation**: as an NMU-er, is Maintainer a feature or a bug?

Help out with [collaborative minutes](#):

```
# apt-get install gobby-0.5  
$ gobby-0.5 -c gobby.debian.net  
open dc10-bof-rc-bugs
```

Thanks!

Stefano Zacchioli
zack@debian.org
<http://upsilon.cc/zack>